



BATH PASTEURIZER
SERIES WP

ADVANTAGES

- Plug-in mobile unit
- Electronic temperature and time control
- Separate connection for the filling and overflow protection
- Electronic controlled heating
- Control box with electronic program control



WORKMANSHIP

The machines can be provided with either 9 kW or 18 kW heating elements. For transport the base unit is removable without any tools.

The complete tank, including the lid, is made with a double wall insulation.

BATH PASTEURIZER SERIE WP

These two units are available for the pasteurization with water. The content of the bath pasteurizer is heated by two heating elements in a water bath. The bottles are placed on the grid above, and heated to the set temperature. Through the direct heating of the water basin, a high effectiveness is achieved. In conjunction with the temperature control, a constant processing temperature is guaranteed.





EASY OPERATION

Put the filled bottles in the pasteurizer, close the lid and press the start button. At the end of the process, the machine shuts off automatically.

The display permanently shows the actual process temperature.



BATH PASTEURIZER

Caption: 1) Water drain, 2) fillable with bottles or preserving jars, 3) electronically controlled temperature with permanent display, 4) optional mesh basket



3

4

BATH PASTEURIZER WP

TECHNICAL DATA



WP 100

WP 200

Nominal hourly output [1 liter bottles/h]	100	200
Heating power [kW]	9,0	2 x 9,0
Electric connection [V/Amp/kW]	400/16/9,0	400/32/18,0
Filling contents [1 liter bottles]	ca. 50	ca. 100
Basin size:		
Length [mm]	650	1000
Width [mm]	600	650
Hight [mm]	340	340
Dimensions:		
Width [mm]	1160	1600
Depth [mm]	760	760
Height [mm]	1110	1540
Weight [kg]	180	200

OTHER INTERESTING PRODUCTS FOR PERFECT FRUIT PROCESSING



BIN-TIPPING MACHINE

Easy tipping of bins in several sizes



FRUIT DRYING CABINET

Efficient drying of fruits with a minimum of enenergy consumption



SPRINKLING PASTEURIZER

To pasteurize large quantities of bottels and jars



BAG IN BOX FILLING MACHINE

Quick and convenient BAGinBOX filling



BOTTLE FILLING MACHINE

Manuall or automatic filling of bottles

Kreuzmayr Maschinenbau GmbH



A-4702 Wallern / Trattnach
Schallerbacher Straße 77

Phone: +43(0)7249/48817-0
Fax: +43(0)7249/48817-10
office@kreuzmayr.com
www.kreuzmayr.com